

MASCOT LIQUID IRON

Page: 1

Compilation date: 07/07/2017

Revision No: 1

### Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: MASCOT LIQUID IRON

Product code: RL041A/B/C/E/F

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: Rigby Taylor Ltd

1-3 Freeman Court

Jarman Way

Royston

Herts

SW8 5HW

**Tel:** 01204 677777

Fax: 01204 677715

Email: sales@rigbytaylor.com

## 1.4. Emergency telephone number

**Emergency tel:** 01204 677777

(office hours only)

## **Section 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification under CLP: Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315

Most important adverse effects: Harmful if swallowed. Causes skin irritation. Causes serious eye irritation.

#### 2.2. Label elements

Label elements:

Hazard statements: H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

#### MASCOT LIQUID IRON

Page: 2

P302+352: IF ON SKIN: Wash with plenty of water/.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P321: Specific treatment (see instructions on this label).

P330: Rinse mouth.

#### 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### **Hazardous ingredients:**

#### FERROUS SULPHATE HEPTAHYDRATE (WET)

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
231-753-5	7782-63-0	-	Acute Tox. 4: H302; Eye Irrit. 2: H319;	10-30%	
		Skin Irrit. 2: H315			

CITRIC ACID MONOHYDRATE - REACH registered number(s): 01-2119457026-42

201-069-1	77-92-9	-	Eye Irrit. 2: H319	1-10%	

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. Inhalation of fumes from

the stomach may cause symptoms similar to direct inhalation.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

#### MASCOT LIQUID IRON

Page: 3

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. Mark out the contaminated area with signs and prevent access to

unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of

liquid. If outside keep bystanders upwind and away from danger point.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space.

Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): PC12: Fertilisers.

## Section 8: Exposure controls/personal protection

#### MASCOT LIQUID IRON

Page: 4

#### 8.1. Control parameters

Workplace exposure limits: No data available.

## **DNEL/PNEC Values**

#### Hazardous ingredients:

#### CITRIC ACID MONOHYDRATE

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	0.44mg/l	-	-
PNEC	Marine water	0.044mg/l	-	-
PNEC	Fresh water sediments	3.46mg/l	-	-
PNEC	Marine sediments	34.6mg/l	-	-
PNEC	Microorganisms in sewage treatment	>1000mg/l	-	-
PNEC	Soil (agricultural)	33.1mg/kg	-	-

#### 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

## Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Brown

**Evaporation rate:** No data available.

Oxidising: No data available.

Solubility in water: No data available.

Viscosity: No data available.

Boiling point/range°C: No data available. Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point°C: No data available. Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

**Relative density:** 1.20-1.50 **pH:** 2.5-5.0

VOC g/I: No data available.

### 9.2. Other information

Other information: No data available.

#### MASCOT LIQUID IRON

Page: 5

## Section 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Hazardous ingredients:**

#### FERROUS SULPHATE HEPTAHYDRATE (WET)

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	300-2000	mg/kg

## CITRIC ACID MONOHYDRATE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	MUS	LD50	5040	mg/kg
ORAL	RAT	LD50	3000	mg/kg

### Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. Inhalation of fumes from

the stomach may cause symptoms similar to direct inhalation.

[cont...]

#### MASCOT LIQUID IRON

Page: 6

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

#### **Section 12: Ecological information**

#### 12.1. Toxicity

## Hazardous ingredients:

#### CITRIC ACID MONOHYDRATE

Daphnia magna	24H EC50	1535	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	48H EC50	440	mg/l

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Dispose of waste and residues in accordance with local authority requirements.

**Recovery operations:** Dispose of in compliance with all local and national requirements.

Disposal of packaging: Empty containers should be disposed of in accordance with local and national

regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Classified and labelled in accordance with regulation 1999/45/EC, 1272/2008, the

statutory instrument No.716 2009 Chemicals (Hazard Information and Packaging)

regulations and the EC fertiliser Regulations 2003, Regulation (EC) No 1907/2006.

#### MASCOT LIQUID IRON

Page: 7

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## **Section 16: Other information**

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.