

RIGBY TAYLOR LTD

PRODUCT SAFETY DATA SHEET: CLEARSPRAY

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Marketed By:

**RIGBY TAYLOR LTD
RIGBY TAYLOR HOUSE
CROWN LANE
HORWICH
HERTS BL6 5HP
Tel: 01204 677777
Fax: 01204 677715**

**Emergency tel:
07802 844 234 (out of hours only)**

Product Name: CLEARSPRAY
Product Code: 8070
Use/Description of Product: Liquid Dye

2. HAZARDS IDENTIFICATION

Main Hazards: Contact with acids liberates toxic gas. Irritating to eyes and skin.

Workplace Exposure Limit: This substance does not have a workplace exposure limit.

PBT: This substance is not identified as a PBT substance.

Directive 1999/45/EC: This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients:

POTASSIUM HYDROXIDE <1%
EINECS: 215-181-3 CAS: 1310-58-3
[Xn] R22; [C] R35

•POTASSIUM SILICATE 1-10%
CAS: 1312-76-1
[Xi] R38; [Xi] R41

•SODIUM HYPOCHLORITE SOLUTION CL ACTIVE 1-10%
EINECS: 231-668-3 CAS: 7681-52-9
[-] R31 [C] R34 [N] R50

PRODUCT SAFETY DATA SHEET: CLEARSPRAY

4. FIRST AID MEASURES:

Skin Contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye Contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5. FIRE FIGHTING MEASURES:

Extinguishing Media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Exposure Hazards: In combustion emits toxic fumes.

Protection of fire fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES:

Personal Precautions: Refer to Section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Environmental Precautions: Do not discharge drains or rivers. Contain the spillage using bunding.

Clean-up Procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING & STORAGE:

Handling Requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Storage Conditions: Store in a cool, well ventilated area. Keep container tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION:

Hazardous Ingredients: POTASSIUM HYDROXIDE
UK – 15 min. STEL: 2mg/m³

Engineering Measures: Ensure there is sufficient ventilation of the area.

Respiratory Protection: Self-contained breathing apparatus must be available in case of emergency.

Hand Protection: Protective gloves.

Eye Protection: Safety glasses. Ensure eye bath is to hand.

Skin Protection: Protective clothing.

PRODUCT SAFETY DATA SHEET: CLEARSPRAY

9. PHYSICAL AND CHEMICAL PROPERTIES:

State: Liquid

Colour: Straw coloured

Odour: Chlorine

Solubility in Water: Miscible in all proportions

Viscosity: Non-viscous

Relative Density: 1.150

pH: 12+

10. STABILITY AND REACTIVITY:

Stability: Stable under normal conditions.

Conditions to Avoid: Heat

Materials to Avoid: Strong oxidising agents. Strong acids.

Hazardous Decomp. Products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION:

Acute Effects: irritating to eyes and skin.

11. TOXICOLOGICAL INFORMATION (SYMPTOMS):

Skin Contact: There may be irritation and redness at site of contact.

Eye Contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

12. ECOLOGICAL INFORMATION:

Mobility: Readily adsorbed in the soil.

Persistence and Degradability: Biodegradable.

Bioaccumulative Potential: No bioaccumulation potential.

Other Adverse Effects: Negligible ecotoxicity.

PBT identification: This substance is not identified as a PBT substance.

13. DISPOSAL CONSIDERATIONS:

Disposal Operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

PRODUCT SAFETY DATA SHEET: CLEARSPRAY

14. TRANSPORT INFORMATION ROAD & RAIL:

ADR / RID:

UN number: Not Classified.

IMDG / IMO:

UN number: Not Classified.

IATA / ICAO:

UN number: Not Classified.

15. REGULATORY INFORMATION

Hazard Symbol: Irritant



Risk Phrases: R36/38: irritating to eyes and skin.
R36/38: irritating to eyes and skin.

Safety Phrases: S7: Keep container tightly closed.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S60: This material and its container must be disposed of as hazardous waste.

Precautionary Phrases: Warning! Do not use with other products. May release dangerous gases (chlorine).

Hazardous Ingredients (label):

POTASSIUM HYDROXIDE; SODIUM HYPOCHLORITE SOLUTION... 00% CL ACTIVE

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other Information: This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

* indicates text in the SDS which has changed since the last revision.

Risk Phrases used in s.3: R22: Harmful if swallowed.
R35: Causes severe burns.
R38: Irritating to skin.
R41: Risk of serious damage to eyes.
R31: Contact with acids liberates toxic gas.
R35: Causes severe burns.
R34: Causes burns.
R50: Very toxic to aquatic organisms.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: 10th March 2009. Revision No: 2