



# enclean<sup>®</sup>

A multi surface biocide  
for cleaning hard surfaces



natural & fast





# Enclean® removes **algae** and **green deposits** from **hard surfaces** and **building materials** ...



- Asphalt
- Block paving
- Steel, zinc, aluminum
- Exterior wood
- Glass, plastic
- Bricks
- Concrete



## **Examples where Enclean® can be applied:**

- Pavements
- Greenhouses (outside)
- Patios
- Walls
- Street furniture (concrete and wood)
- Cemeteries
- Roofs
- Wooden decking and fence panels
- Playing surfaces



For materials other than those mentioned above, perform a test on a non-visible corner before applying Enclean® to the entire surface.

## **Composition**

- Enclean®: BIOCIDES product - PT2.
- Active ingredient: 500 g/l Nonanoic acid
- EC: Emulsifiable concentrate
- Registration number: UK-2020-1284

**Safety:** Causes serious eye irritation.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.





- **Fast and long lasting results: can be visible a few hours after treatment**



► Untreated



► A few hours after treatment



► 1 month after treatment

- Plant origin
- Easy to use (low dose rate, does not foam)
- Non-corrosive
- Quickly degrades into natural elements





J F M A M J J A S O N D



## Recommendations for use

- Mix well before use and agitate during application.




## Precautions

- Apply when no rain is expected during the day of the application.
- Do not apply in freezing temperatures.
- Extreme care must be taken to avoid spray drift onto neighbouring crops/desirable plants.
- Wash equipment thoroughly after use.
- This material and its container should be disposed of in a safe way.
- Do not apply on surfaces containing synthetic resin, thatched roofs or lead.
- For zinc, aluminium, steel and glass, rinse with water if a thin white layer persists 14 days after treatment.
- For copper, Enclean® will accelerate the natural oxidation process.

## Usage instructions

(example for a **15L** knapsack sprayer)



Apply using a **Red 0.4 evenspray nozzle**  
15 L of mixed solution to cover 555m<sup>2</sup>

Please read the label before use and follow the instructions

Please contact your local Rigby Taylor Representative [sales@rigbytaylor.com](mailto:sales@rigbytaylor.com)  
or Freephone 0800 424919 [www.rigbytaylor.com](http://www.rigbytaylor.com)



Enclean® - H319 - Causes serious eye irritation. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P264 - Wash hands thoroughly after handling. P305 + 351 + 338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + 313 - If eye irritation persists: Get medical advice / attention.