

Environmental Information Sheet

ICADE[®] MAPP 16182



A soluble concentrate formulation containing 12 g/litre aminopyralid (present as 23 g/litre triisopropanolammonium salt) and 120 g/litre triclopyr (present as 167 g/litre triethylammonium salt), pyridinecarboxylic acid herbicides, for use in amenity grassland.

Maximum individual dose: 4 l/ha (48 gas/ha aminopyralid, 480 gas/ha triclopyr)

Maximum total dose: 4 l/ha per year

Section	Profile
<p>1. WILDLIFE</p> <p>Mammals and Birds</p>	<p>ICADE is not classified '<i>Harmful to game, wild birds and animals</i>'.</p> <p>No risk management is necessary to protect wild mammals and birds. ICADE and its active substances are of low to moderate toxicity to mammalian and bird species. The risk to wild mammals and birds feeding on treated areas is low.</p> <p><i>"KEEP LIVESTOCK OUT of treated areas for at least 7 days or until foliage of any poisonous weeds such as ragwort has died and become unpalatable"</i></p>
<p>2. BEES</p>	<p>No risk management necessary, and there is no requirement to avoid application of the product when bees may be foraging on flowering weeds.</p>
<p>3. NON TARGET INSECTS AND OTHER ARTHROPODS</p>	<p>No risk management is necessary.</p> <p>ICADE poses a low risk to a range of arthropod species, such as predatory mites and parasitic wasps, commonly found in and around treated fields.</p>
<p>4. AQUATIC LIFE</p>	<p>ICADE has a low toxicity to fish, <i>Daphnia</i> (water fleas) and freshwater diatoms.</p> <p>No risk management necessary. The risk to fish and other aquatic life is low when the product used as directed.</p> <p><i>"DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads."</i></p> <p>Not categorised under the LERAP scheme.</p>

[®]Trademark of the Dow Chemical Company (Dow) or an affiliate company of Dow

Environmental Information Sheet

ICADE[®] MAPP 16182



Section	Profile
5. SOIL and GROUNDWATER	The active substances and breakdown products are moderately to very persistent and moderately to highly mobile. However, when ICADE is used as recommended there is a low risk of groundwater contamination.
Earthworms	ICADE is of moderate toxicity to earthworms. However when used as recommended the risk to earthworms is low and no risk management is necessary.
Soil Micro-organisms	ICADE is of low risk to soil micro-organisms. No risk management necessary in order to prevent risks to the processes of soil respiration and nitrogen turnover.
6. NON-TARGET PLANTS	ICADE is a broad-spectrum herbicide, therefore care should be taken to minimise drift onto hedgerows, conservation headlands etc. in order to prevent damage to plants in adjacent areas. <i>“Take extreme care to avoid drift onto susceptible crops, non-target plants or waterways. Do not apply directly to, or allow spray drift to come into contact with agricultural or horticultural crops, amenity plantings, gardens, ponds, lakes or watercourses. On level ground there is negligible lateral movement but do not apply ICADE around desirable trees or shrubs, do not spray under the canopy and 1 metre at least from the trunk of desirable trees or shrubs. Care should be taken on slopes to prevent leaching into areas where desirable shrubs etc. are present”</i>

ALWAYS READ THE LABEL: USE PESTICIDES SAFELY

Care must be taken to minimise the risk of surface water contamination from farmyard and field sources.

For further information about the environmental profile of this product contact:-

Company: Dow AgroSciences Limited
Address: CPC2 Capital Park, Fulbourn, Cambridge, CB21 5XE
Telephone: 01462 457272
Fax: 01462 426605
e-mail: ukhotline@dow.com

24-hour Emergency Telephone Number; +44 (0)1553 761 251

This Environmental Information Sheet was prepared in accordance with CPA Guidance Notes Version 4.

© Copyright of Dow AgroSciences Ltd.