

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : DEDICATE SC300

Product code : Article/SKU: 79284667 UVP: 06348084 Specification: 102000008381

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Fungicide, Plant protection agent

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : 2022 Environmental Science FR S.A.S.
For GB: Milton Hall, Ely Rd., Milton
Cambridge CB24 6WZ, United Kingdom
For IE/NL:
Lyon Vaise Business Center, 3 Place Giovanni Da Verrazzano
69009 Lyon, France

Telephone : 00800 1214 9451

E-mail address of person responsible for the SDS : service.clients.es.france@envu.com

1.4 Emergency telephone number

For Emergency or Spill call:
+44 20 3807 3798 (24/7 multilingual support)

IE: National Poisons Information Centre (for public):
01 809 2166

IE: National Poisons Information Centre (for professionals):
01 809 2566

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Effects on or via lactation	H362: May cause harm to breast-fed children.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H361d Suspected of damaging the unborn child.
H362 May cause harm to breast-fed children.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P263 Avoid contact during pregnancy and while nursing.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Hazardous components which must be listed on the label:

Tebuconazole
Trifloxystrobin

Additional Labelling

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1), Trifloxystrobin. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188218-00001 Date of last issue: -
Date of first issue: 31.03.2023

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tebuconazole	107534-96-3 403-640-2 603-197-00-7	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute oral toxicity: 1,700 mg/kg	>= 10 - < 20
Alcohols, coco, ethoxylated	61791-13-7	Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Chronic 3; H412 Acute toxicity estimate Acute oral toxicity: 1,380 mg/kg	>= 10 - < 20
Trifloxystrobin	141517-21-7 607-424-00-0	Skin Sens. 1; H317 Lact.H362 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 2.5 - < 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188218-00001 Date of last issue: -
Date of first issue: 31.03.2023

		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10	
Tristyrylphenol ethoxylates	99734-09-5	Aquatic Chronic 3; H412	$\geq 1 - < 2.5$
1,2-Benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 M-Factor (Acute aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 ≥ 0.05 % Acute toxicity estimate Acute oral toxicity: 454 mg/kg	$\geq 0.025 - < 0.05$
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314	$\geq 0.0002 - < 0.0015$

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

		>= 0.6 % Skin Irrit. 2; H315 0.06 - < 0.6 % Eye Irrit. 2; H319 0.06 - < 0.6 % Skin Sens. 1A; H317 >= 0.0015 % Eye Dam. 1; H318 >= 0.6 % EUH071 >= 0.6 % Acute toxicity estimate Acute oral toxicity: 64 mg/kg Acute inhalation toxicity (dust/mist): 0.171 mg/l Acute dermal toxicity: 87.12 mg/kg	
--	--	---	--

For explanation of abbreviations see section 16.

Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	2682-20-4, 26172-55-4

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|---|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
There is no specific antidote available.
Gastric lavage is not normally required. However, if a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.
Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Nitrogen oxides (NO_x)
Chlorine compounds
Carbon oxides
Fluorine compounds
Metal oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing method : Use extinguishing measures that are appropriate to local cir-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

ods

cumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.
Avoid inhalation of vapour or mist.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Gases

7.3 Specific end use(s)

Specific use(s) : Refer to the label and/or leaflet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA (Total vapour and particles)	150 ppm 474 mg/m ³	GB EH40
		TWA (particles)	10 mg/m ³	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Urea	Workers	Inhalation	Long-term systemic effects	292 mg/m ³
	Workers	Inhalation	Acute systemic effects	292 mg/m ³
	Workers	Skin contact	Long-term systemic effects	580 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	580 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**DEDICATE SC300**

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188218-00001 Date of last issue: -
 Date of first issue: 31.03.2023

	Consumers	Inhalation	Long-term systemic effects	125 mg/m3
	Consumers	Inhalation	Acute systemic effects	125 mg/m3
	Consumers	Skin contact	Long-term systemic effects	580 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	580 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	42 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	42 mg/kg bw/day
Propylene glycol	Workers	Inhalation	Long-term local effects	10 mg/m3
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Consumers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
1,2-Benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6.81 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.966 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.2 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.345 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Tebuconazole	Fresh water	1 µg/l
	Fresh water sediment	550 µg/l
	Sewage treatment plant	320 µg/l
	Soil	0.1 mg/kg wet weight
Urea	Fresh water	0.47 mg/l
	Marine water	0.047 mg/l
Propylene glycol	Fresh water	260 mg/l
	Freshwater - intermittent	183 mg/l
	Marine water	26 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57.2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
1,2-Benzisothiazol-3(2H)-one	Fresh water	11 µg/l
	Intermittent use/release	0.403 µg/l
	Marine water	1.1 µg/l
	Intermittent use/release	0.0403 µg/l
	Sewage treatment plant	1.03 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version 1.0 Revision Date: 31.03.2023 SDS Number: 11188218-00001 Date of last issue: -
Date of first issue: 31.03.2023

	Fresh water sediment	0.0499 mg/kg dry weight (d.w.)
	Marine sediment	0.00499 mg/kg dry weight (d.w.)
	Soil	3 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:
Safety glasses
Equipment should conform to EN 166

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : > 0.4 mm
Directive : Equipment should conform to EN 374
Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to EN 143

Filter type : Particulates type (P)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: suspension
Colour	: white
Odour	: characteristic, very faint
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: > 100.00 °C boils before flash
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: 6.00 - 8.00 (23 °C) Concentration: 100 %
Viscosity	
Viscosity, dynamic	: > 200.00 - < 450.00 mPa.s (20 °C)
Viscosity, kinematic	: < 0.001 mm ² /s (40 °C)
Flow time	: 43 - 60 s at 20 °C
Solubility(ies)	
Water solubility	: dispersible
Partition coefficient: n-octanol/water	: Not applicable
Vapour pressure	: No data available
Density	: 1.10 g/cm ³ (20.00 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Relative vapour density : No data available

Particle characteristics
Particle size : $\leq 5 \mu\text{m}$

9.2 Other information

Explosives : Not explosive
Method: OECD Test Guideline 113

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Self-ignition : 415.00 °C
Method: Tested according to Directive 92/69/EEC.

Evaporation rate : No data available

Surface tension : 34.50 mN/m

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat): 2,500 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 4,000 mg/kg

Components:

Tebuconazole:

Acute oral toxicity	: LD50 (Rat, female): 1,700 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2.118 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg

Alcohols, coco, ethoxylated:

Acute oral toxicity	: LD50 (Rat, female): 1,380 mg/kg Method: OECD Test Guideline 401
---------------------	--

Trifloxystrobin:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

Tristyrylphenol ethoxylates:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg
---------------------	-----------------------------

1,2-Benzisothiazol-3(2H)-one:

Acute oral toxicity	: LD50 (Rat): 454 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Acute oral toxicity	: LD50 (Rat): 64 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.171 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	: LD50 (Rabbit): 87.12 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	: Rabbit
Result	: No skin irritation

Components:

Tebuconazole:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Alcohols, coco, ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

1,2-Benzisothiazol-3(2H)-one:

Result	: Skin irritation
--------	-------------------

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	: No eye irritation
--------	---------------------

Components:

Tebuconazole:

Species	: Rabbit
Result	: No eye irritation

Alcohols, coco, ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye

1,2-Benzisothiazol-3(2H)-one:

Species	: Rabbit
---------	----------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Result : Irreversible effects on the eye

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Result : Irreversible effects on the eye

Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Assessment : Does not cause skin sensitisation.

Components:

Tebuconazole:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Trifloxystrobin:

Assessment	: Probability or evidence of skin sensitisation in humans
Remarks	: Based on national or regional regulation.

1,2-Benzisothiazol-3(2H)-one:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: positive

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: positive

Assessment	: Probability or evidence of high skin sensitisation rate in humans
------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Germ cell mutagenicity

Not classified based on available information.

Components:

Tebuconazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Trifloxystrobin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Tristyrylphenol ethoxylates:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

1,2-Benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Tebuconazole:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 y
Result	:	negative

Trifloxystrobin:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	24 Months
Result	:	negative

Reproductive toxicity

Suspected of damaging the unborn child.

May cause harm to breast-fed children.

Components:

Tebuconazole:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
----------------------	---	---

Effects on foetal development	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive
-------------------------------	---	--

Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.
------------------------------------	---	---

Trifloxystrobin:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
----------------------	---	--

Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion
-------------------------------	---	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period

1,2-Benzisothiazol-3(2H)-one:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Method: OPPTS 870.3800
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Tebuconazole:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Trifloxystrobin:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

1,2-Benzisothiazol-3(2H)-one:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Tebuconazole:

Species : Dog
NOAEL : 3 mg/kg
LOAEL : 4.4 mg/kg
Application Route : Ingestion
Exposure time : 1 yr
Method : OECD Test Guideline 452

Trifloxystrobin:

Species : Rat
NOAEL : 10 mg/kg
Application Route : Ingestion
Exposure time : 2 yr

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Tristyrylphenol ethoxylates:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

1,2-Benzisothiazol-3(2H)-one:

Species	:	Dog
NOAEL	:	5 mg/kg
LOAEL	:	20 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	Directive 67/548/EEC, Annex, B.27

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.29 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.22 mg/l Exposure time: 48 h EC50 (Mysidopsis bahia (opossum shrimp)): 0.00862 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.0025 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 0.24 mg/l Exposure time: 72 h Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

ErC50 (Lemna gibba G3 (gibbous duckweed)): 0.99 mg/l
Exposure time: 168 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.01 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Components:

Tebuconazole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.79 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Lemna gibba (gibbous duckweed)): 0.237 mg/l
Exposure time: 168 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 32 mg/l
Exposure time: 0.5 h

Toxicity to fish (Chronic toxicity) : NOEC: 0.012 mg/l
Exposure time: 83 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.01 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Alcohols, coco, ethoxylated:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): > 0.1 - 1 mg/l
Exposure time: 72 h

Trifloxystrobin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.015 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): 0.00862 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0.0174 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0.0025 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : EC10: 0.0075 mg/l
Exposure time: 95 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 0.00328 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Tristyrylphenol ethoxylates:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 10 - 100 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

1,2-Benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 110 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 40.4 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Toxicity to microorganisms : NOEC : 10.3 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.19 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.16 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Skeletonema costatum (marine diatom)): 0.0052 mg/l
Exposure time: 48 h

NOEC (Skeletonema costatum (marine diatom)): 0.00049 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 0.02 mg/l
Exposure time: 36 d
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.10 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 100

12.2 Persistence and degradability

Components:

Alcohols, coco, ethoxylated:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 74 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

1,2-Benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly degradable

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 62 %
Exposure time: 28 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Components:

Tebuconazole:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 78

Partition coefficient: n-octanol/water : log Pow: 3.7

Alcohols, coco, ethoxylated:

Partition coefficient: n-octanol/water : log Pow: 2.03

Trifloxystrobin:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 431
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5
Method: OECD Test Guideline 107

1,2-Benzisothiazol-3(2H)-one:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 6.62

Partition coefficient: n-octanol/water : log Pow: 0.7

Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

Partition coefficient: n-octanol/water : log Pow: < 1

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Follow advice on product label and/or leaflet. Empty containers retain residue and can be dangerous. Do not re-use empty containers.
Waste Code	: The following Waste Codes are only suggestions: used product 02 01 08, agrochemical waste containing hazardous substances unused product 02 01 08, agrochemical waste containing hazardous substances uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

IMDG : UN 3082

IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tebuconazole, Trifloxystrobin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tebuconazole, Trifloxystrobin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tebuconazole, Trifloxystrobin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tebuconazole, Trifloxystrobin)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Tebuconazole, Trifloxystrobin)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your ven-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

dor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Active substance : 100 g/l
Trifloxystrobin

200 g/l
Tebuconazole

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

H330	: Fatal if inhaled.
H361d	: Suspected of damaging the unborn child.
H362	: May cause harm to breast-fed children.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Lact.	: Effects on or via lactation
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



DEDICATE SC300

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	31.03.2023	11188218-00001	Date of first issue: 31.03.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Repr. 2	H361d
Lact.	H362
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Based on product data or assessment
Based on product data or assessment

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

XI / EN